

## REFERENCES ON PARASITIC WEEDS OF SUGARCANE

*Aeginetia indica* L., *Aeginetia pedunculata* (Roxb.) Wall., *Alectra fluminensis* (Vell.) Stearn (*Alectra brasiliensis* Benth., *Alectra melamphroides* (L.C. Rich.) Kuntze), *Christisonia wightii* Elmer, *Striga asiatica* (L.) Kuntze., *Striga curviflora* Benth., *Striga densiflora* L., *Striga euphrasioides* Benth., *Striga hermonthica* (Del.) Benth., *Striga latericea* Vatke., *Striga lutea* Lour., *Striga parviflora* Benth., *Centranthera indica* (L.) Gamble, *Centranthera nepalensis* D. Don, *Thesium australe* R. Br., *Thesium resedoides* A. W. Hill

- Aflakpui, G.K.S., Bolfrey-Arku, G.E.K., Anchirinah, V.M., Manu-Aduening, J.A. and Adu-Tutu, K.O. 2008. Incidence and severity of *Striga* spp. in the coastal Savanna zone of Ghana: Results and implications of a formal survey. *Outlook on Agriculture*. 37(3): 219-224.
- Agarwala, S.B.D., Haider Naqvi, S.A. (1954). Precious Swinhoe L. (The Blue Pansy) as a controlling agent of *Striga euphrasioides*, a root parasite of sugarcane. *Proceedings of Bihar Academy of Agricultural Sciences* 2-3, 120-125.
- Agati, J.A., Tan, J.P. (1931a). The effect of atlatide on *Aeginetia indica*. *Sugar News* 12: 82-89.
- Agati, J.A., Tan, J.P. (1931b). Controlling the *Aeginetia indica* in cane fields. *Sugar News* 12, 852-854.
- Ahmed, H.U., Mian, M.I.H. (1977). A note on the occurrence of *Striga densiflora* in Bangladesh. *Sugarcane Pathologists Newsletter* 8, 10-11.
- Anderson, D.M. and Cox, M.L. (1997). *Smicronyx* species (Coleoptera: Curculionidae), economically important seed predators of witchweeds (*Striga* spp.) (Scrophulariaceae) in sub-Saharan Africa. *Bulletin of Entomological Research*. 87: 3-17.
- Andrianjaka, Z., Bally, R., Lepage, M., Thioulouse, J., Comte, G., Kisa, M. and Duponnois, R. (2007). Biological control of *Striga hermonthica* by *Cubitermes* termite mound powder amendment in sorghum culture. *Applied Soil Ecology*. 37(3): 175-183.
- Anonymous (1963). *Bengal plants, Vol. II*. Botanical Survey of India, Calcutta, p. 580.
- Baker, C.A., Bakhuizen van den Brink, R.C. (1968). *Flora of Java*. Volters-Noordhoff, The Netherlands.
- Bakhuizen van den Brink, R.C. (1933). Orobanchaceae in India Batavia Orientali Crescentes. *Bulletin du Jardin Botanique Buitenzorg, Series III* 13, 77-90.
- Banerjee, L.K. (1993). *Plant resources of Jaldapara Rhino Sanctuary*. Botanical Survey of India, Kolkata.
- Banerjee, M.L. (1958). Botanical exploration in East Nepal. *Journal of Bombay Natural History Society* 55(2), 264.

- Bell, A.F., Cottrell-Dormer, W. (1931). The cane killing weed. *Queensland Agricultural Journal* 36, 463-473.
- Bissinger, G.H. (1934). Some of the problems now facing the Research Bureau of the Philippine Sugar Association. *Sugar News* 15, 19-24.
- Capinpin, R.L., Ocfemia, G.O. (1948). A study of weed eradication with 2,4-D in lawns, vacant lots and pastures. *Philippine Agriculturist* 31, 239-255.
- Chavan, A.R., Bedi, S.J., Sabnis, S.D. (1961). Some observations on a root-parasite - *Aeginetia indica* L. *Current Science* 30, 191-192.
- Chennaveeraiah, M.S., Nataraja, K., Chikkannaiah, P.S. (1971). In vitro culture of the seeds of a root parasite: *Aeginetia indica* Linn. *Current Science* 24, 668-669.
- Chona, B.L. (1956). *Chairman's address, Pathology Section*. Proceedings of the ISSCT, 9th Congress, India 1, 986.
- Chowdhury, A.M., Ahmed, A. (1993). Histopathological studies of *Striga* spp. with sugarcane roots. *Journal of Mycopathological Research* 31(1), 1-4.
- Coert, J.H. (1928). *Aeginetia* species, a root parasite of sugarcane. *Sugar News* 9, 367-375.
- Cooke, T. (1967). *Flora of the Presidency of Bombay, Vol. II*. Botanical Survey of India, Kolkata, p. 384.
- Das, S.N., Roy, S.C. (1984). Two noteworthy plants from West Bengal. *Journal of Bombay Natural History Society* 81(1), 234-235.
- Datta, S.C., Banerjee, A.K. (1978). Useful weeds of West Bengal rice fields. *Economic Botany* 32, 297-310.
- Deb, D.B. (1983). *The Flora of Tripura State, Vol. II*. Today & Tomorrow's, New Delhi, p. 303.
- Drurg, C.H. (1866). *Handbook of the Indian Flora, Vol. II*. Travancore Sirkar Press, Madras, p. 388.
- Duthie, J.F. (1960). *Flora of the Upper Gangetic Plain, Vol. II*. Botanical Survey of India. Kolkata, pp. 34-35.
- Elmer, A.D.E. (1915). Two hundred twenty six new species – II. *Leaflets of Philippine Botany* 8, 2793-2795.
- Eplee, R.E. (1992). Witchweed (*Striga asiatica*): an overview of management strategies in the USA. *Crop Protection* 11(1), 3-7.
- Erad, N.A., Rajappan, K. (1958). A note on *Aeginetia acaulis* (Roxb.) Walp. *Journal of Bombay Natural History Society* 55(1), 125-128.
- Espino, R.B. (1947). Eleven years study on “bungang tubo”: a resume. *Philippine Agriculturist* 31, 151-153.
- Feredegn, T. (1979). A new *Striga* problem in Ethiopia. *Haustorium* 3, 5.
- French, R.C., Sherman, L.J. (1976). Factors affecting dormancy, germination and seedling development of *Aeginetia indica* L. (Orobanchaceae). *American Journal of Botany* 63(5), 558-570.
- Gamble, J.S. (1967). *Flora of the Presidency of Madras Vol.II*, BSI, Calcutta, pp. 684-685
- Goseco, F.P. (1932). Preliminary report on *Christisonia wightii* Elmer, a new plant parasite of sugarcane. *Sugar News* 13(2), 73-74.
- Guha Bakshi, D.N. (1984). *Flora of Murshidabad District, West Bengal, India*. Scientific Publishers, Jodhpur, India, p. 231.

- Hajra, P.K., Verma, D.M., Giri, G.S. (1996). *Flora of India, Series 2. Materials for the Flora of Arunachal Pradesh, Vol. I*. Botanical Survey of India, Kolkata.
- Haines, H.H. (1910). *Forest flora of Chota Nagpur including Gangpur and the Santhal Parganas*. Superintendent, Govt. Printing, Kolkata, India, p. 86.
- Hedayetullah, S., Saha, J.C. (1942). A new phanerogamic parasite of sugarcane in Bengal. *Current Science* 11(3), 109-110.
- Hines, C.W. (1918). Diseases, insects and plant pests of the sugarcane in the Philippine Islands. *Philippine Agricultural Review* 2, 275-277.
- Hines, H.H. (1924). *Botany of Bihar and Orissa, Volume II*. Botanical Survey of India, Kolkata, p. 673.
- Hooker, J.D. (1885). *The Flora of British India, Vol. IV*. L. Beeve & Co, London, p. 320.
- Hosmani, M.M. (1978). *Striga - A noxious root parasitic weed*. Published by the author, Dharwar, India, p. 165.
- Hughes, C.G. (1954). The year 1953 in Queensland sugarcane pathology. *Proceedings of Queensland Sugar Cane Technology, 21st Conference*. pp. 207-213.
- Javier, S.V. (1953). Weed eradication with the use of 2,4-D and other herbicides. *Journal of Soil Science Society of the Philippines* 3, 193.
- Juliano, J.B. (1935a). Preliminary experiments on the inoculation of potted plants with bunga seeds. *The Philippine Agriculturist* 24, 262-282.
- Juliano, J.B. (1935b). The anatomy and morphology of the bunga, *Aeginetia indica* Linnaeus. *Philippine Journal of Science* 56, 405-451.
- Kamble, S.Y. (1993). In Stace C. (1993) IOPB Chromosome Data 6. *IOPB Newsletter* 21, 3-4.
- Kamble, S.Y. (1997). In Stace C. (1997) IOPB Chromosome Data 11. *IOPB Newsletter* 26/27, 22.
- Kang, M.S., Kang, I.S. and Dhillon, M. 1986. Appearance of striga, a phanerogamic parasite, on sugarcane in Morinda Mill area of Punjab. *Indian Journal of Ecology*. 13(1): 172-174.
- Kanjilal, U.N., Das, A., Kanjilal, P.C., De, R.N. (1939). *Flora of Assam*. Govt. of Assam.
- Kato, Y., Hisano, K. (1983). In vitro culture of a root parasite, *Aeginetia indica* L. I. General Survey. *Botanical Magazine, Tokyo* 96(1043), 203-209.
- Kato, Y., Inoue, T., Onishi, Y. (1984). In vitro culture of a root parasite, *Aeginetia indica* L. II. The plane of cell division in the tendril. *Plant Cell Physiology* 25(6), 981-987.
- Khan, M.Q. and Murthy, D.V. (1955). *Indian Journal of Entomology*. 17(3): 362.
- King, L.J. (1974). *Weeds of the World - Biology and Control*. Wiley Eastern, New Delhi, pp. 61-62.
- Kuijt, J. (1969). *The Biology of Parasitic Flowering Plants*. University of California Press, Berkeley, p. 246.
- Kuijt, J. (1977). Haustoria of phanerogamic parasites. *Annual Review of Phytopathology* 15, 91-118.
- Kumar, L.S.S., Solomon, S. (1941). A list of hosts of some phanerogamic root-parasites attacking economic crops in India. *Proceedings of Indian Academy of Sciences. Section B (Plant Sciences)* 13, 151-156.
- Kumar, V., Subramaniam, B. (1986). *Chromosome Atlas of Flowering Plants of the Indian Sub-Continent, Vol. I*. Botanical Survey of India, Kolkata.

- Kuroki, S., Shuto, S., Tabata, J., Tashima, Y. (1970). Inhibiting effect of parasitism due to *Aeginetia indica* on the growth of *Miscanthus sinensis* (Preliminary Report) (Japanese). *Bulletin of the Kagoshima University Forest No. 2*, pp. 67-69.
- Kusano, S. (1903). Notes on *Aeginetia indica* Linn. *Botanical Magazine, Tokyo* 17, 71-95.
- Kusano, S. (1908). Further studies on *Aeginetia indica* L. *Bulletin of the College of Agriculture, Tokyo Imperial University, Japan* 8(1), 59-78.
- Lagoke, S.T.O. (1989). *Striga in Nigeria*. FAO Plant Production and Protection Paper No. 96, Department of Agronomy, IAR, ABU, Nigeria, pp. 68-75.
- Lee, A. (1931). Studies of the flowering parasite, *Aeginetia indica*. *Annual Report of Division of Research, Philippine Sugar Association*, pp. 274-287.
- Lee, A., Goseco, F. (1932). Studies of the sugarcane root parasite, *Aeginetia indica*. *Proceedings of International Society of Sugar Cane Technologists (ISSCT) Congress (San Juan)* 4, 1-12.
- Ling, K.C. (1955). Bunga. *Taiwan Sugar* 2(1), 21.
- Linne, C. von. (1753). *Species Plantarum*.
- Livera, E.J. (1927). Aeginetiaceae, a new natural family of flowering plants. *Annals of the Royal Botanic Garden, Peradeniya* 10, 145-159.
- Lo, T.T. (1950). A report on sugarcane diseases in Taiwan. *Proceedings of ISSCT Congress* 7, 452-456.
- Lo, T.T. (1955). N: Co 310, highly resistant to the root parasite bunga (*Aeginetia indica*). *Taiwan Sugar* 2(4), 18-20.
- Lopez, M.E., Barile, R.L. (1964). The effect of different herbicides in the control of *Aeginetia indica* Roxb. *Philippine Sugar Institute Quarterly* 10(1), 19-31.
- Luthra, J.C. (1921). *Striga* as a root parasite of sugarcane. *Agricultural Journal of India* 16(5), 519-523.
- Manandhar, N.P., Manandhar, S. (2002). *Plants and people of Nepal*, Timber Press, Oregon, USA, p 74.
- Mandal, N.R., Singh, P. (1993). Four new plant records for Sikkim. *Journal of Economic and Taxonomic Botany* 17(3), 555-556.
- Martin, J.P., Abbott, E.V., Hughes, C.G. (1960). *Sugarcane Diseases of the World, Volume I*, Elsevier, Amsterdam, pp. 485-490.
- Matin, M.A., Islam, N., Gaffer, M.A., Rahman, A.B.M.M. (1989). Association of *Striga densiflora* with sugarcane. *Bangladesh Journal of Sugarcane* 11, 52-63.
- Mbogo, J.O., Osoro, M.O. (1991). Reaction of sugarcane clones to *Striga hermonthica* infection in Kenya. *Proceedings of the International Symposium of Parasitic Weeds, Nairobi, Kenya* 5, 310-312.
- Mbogo, J.O., Osoro, M.O. (1992). The effect of *Striga hermonthica* on sugarcane, 1. Reaction of sugarcane clones to *Striga hermonthica* infection in Kenya. *Proceedings of the Annual Congress (66 th) South African Sugar Technologists Association*, pp. 114-115.
- McGrath, H., Shaw, W.C., Jansen, L.L., Lipscomb, B.R., Ennis, W.B. (1957). Witchweed (*Striga asiatica*)-A new parasitic plant in the United States. *USDA Crops Research Division*, pp. 142.
- McWhorter, F.P. (1922). Concerning the sugarcane root parasite, *Aeginetia indica*. *Philippine Agriculturist* 11, 89-90.

- Mishra, J.S. and Varshney, J.V. 2008. Integrated weed management in sugarcane. *Indian Farming*. 3:
- Mohanani, M., Henry, A.N. (1994). *Flora of India, Series 3, Flora of Thiruvananthapuram*. Botanical Survey of India, pp. 333-334.
- Mondal, N.R., Singh, P. (1993). Four new plant records for Sikkim. *Journal of Economic and Taxonomic Botany* 17(3), 555-556.
- Mudgal, V., Khanna, K.K., Hajra, P.K. (1997). *Flora of India, Series 2. Flora of Madhya Pradesh, Volume II*. Botanical Survey of India, p. 247.
- Murthy, D.V. (1959). *Smicronyx albovariegatus* Faust, causing root galls on *Striga* spp. *Current Science*. 28: 502.
- Murthy, D.V. (1960). Insects attacking *Striga*. *Nature*. 187: 959.
- Murthy, D.V. and Rao, A.S. (1949). *Precis orithya* Swinhoei L. (Fam. Nymphalidae), feeding on *Striga* spp. the phanerogamic parasite of sugarcane and jowar. *Current Science*. 18: 342.
- Murti, S.K., Panigrahi, G. (1999). *Flora of India, Series 3. Flora of Bilaspur District (Madhya Pradesh), Volume 2*. Botanical Survey of India, pp. 425-426.
- Musselman, L.J. (1980). The biology of *Striga*, *Orobanche* and other root parasitic weeds. *Annual Review of Phytopathology* 18, 463-489.
- Myatt, O.W.D., Rehbein, C.A. (1954). A new cane-killing weed. *Cane growers' Quarterly Bulletin, Bureau of Sugar Experiment Station, Queensland*, pp. 51-52.
- Nickrent, D.L., Duff, R.J., Colwell, A.E., Wolfe, A.D., Young, N.D., Steiner, K.E. (1998). Molecular phylogenetic and evolutionary studies of parasitic plants. In: Soltis, D.E., Soltis, P.S., Doyle, J.J., eds. *Molecular systematics of plants. Vol. II. DNA sequencing*, Kluwer Academic Publishers, Boston, pp. 211-241.
- Niranjana, R. (1994). Morphogenetic studies in some root parasitic angiosperms. *Ph.D. Thesis, University of Mysore*, p. 154
- Ocfemia, G.O. (1935). Sodium arsenite versus *Aeginetia indica*. *Philippine Agriculturist* 23, 905-906.
- Omigawa, Y., Takeuchi, Y., Ogasawara, M., Konnai, M., Takematsu, T. (1991). Promotive effect of brassinolide on seed germination of *Aeginetia indica*. *Chemical Regulation of Plants* 26(2), 225-226.
- Otoïdobia, L.C. (1997). Potential of *Smicronyx* spp. (Coleoptera:Curculionidae) as biological control agents of *Striga hermonthica* (Del) Benth and *Alectra vogelii* Benth (Scrophulariaceae) in Burkina Faso (West Africa). M.Sc. Thesis.
- Padte, S.N., Patel, H., Joshi, J.V. (1978). Notes on *Aeginetia indica* Linn. *Geobios (Jodhpur)* 5(2), 95-96.
- Parker, C. (1973). Weeds in Arabia. *PANS, Section C. Weed Control* 3, 345-352.
- Parker, C. and Riches, C.R. (1993). *Parasitic Weeds of the World*. CABI, Oxford.
- Quattrocchi, U. (1999). *CRC World Dictionary of Plant Names, Volume-I*. CRC Press, USA, p. 55.
- Rahman, M.O. (2006). Scrophulariaceous taxa in Bangladesh. *Bangladesh Journal of Plant Taxonomy*. 13(2): 139-154.
- Rahman, S., Kabir, A.K.M., Iqbal, M., Kamal, M.M. (1988). Assessment of losses of sugarcane caused by *Striga densiflora*. *Bangladesh Journal of Sugarcane* 10, 111-113.

- Rajanna, L., Shivamurthy, G.R., Niranjana, R., Vijay, C.R. (2005). Occurrence of phloem in the haustorium of *Aeginetia pedunculata* Wall.- a root holoparasite of Orobanchaceae. *Taiwania* 50(2), 109-116.
- Rangaswamy, N.S., Rangan, T.S. (1969). Morphogenic investigations on parasitic angiosperms II. *Striga angustifolia* (Don.) Saldhana (Scrophulariaceae). *Flora-A* 160, 448-456.
- Rao, M.R. (1914). *Flowering Plants of Travancore*. Govt. Press, p. 293.
- Rao, P.S.N. (2003). *Flora of Visakhapatnam District, Andhra Pradesh*. Botanical Survey of India, pp. 598-599.
- Rao, R.S. (1961). Root-parasite - *Aeginetia indica* L. *Current Science* 30, 244.
- Ray, B.R., Dasgupta, M.K. (2003). First report of *Aeginetia pedunculata* causing sugarcane wilt in India. *Haustrorium, Parasitic Plants Newsletter* 44, 2-3.
- Ray, B.R., Dasgupta, M.K. (2006). *Aeginetia pedunculata* – a serious parasitic weed on sugarcane in West Bengal. *Newsletter, Association for Advancement in Plant Protection (AAPP)* 2(1), 3.
- Ray, B.R., Dasgupta, M.K. (2006). Sugarcane crop loss due to wilt caused by parasitic angiosperm *Aeginetia pedunculata* (Roxb.) Wall. (Orobanchaceae). *Journal of Mycology and Plant Pathology* 36(1), 31-34.
- Ray, B.R. and Dasgupta, M.K. (2008). Biology, parasitism and management of *Aeginetia* sp. on sugarcane. *Ph.D. Thesis, Visva Bharati, India*.
- Rivera, J.R. (1953). Control of *bunga ng tubo* (*Aeginetia indica* L.) with chemical weed killers. *Philippine Agriculturist* 37, 407-421.
- Robinson, F.L., Stokes, I.E. (1960). Witchweed: A potential pest of sugarcane in the United States. *Sugar Journal* 23(5), 25-27.
- Robinson, F.L., Stokes, I.E. (1963). Influence of *Striga asiatica* (witchweed) on important varieties of sugarcane in the United States. *Proceedings, International Society for Sugar Cane Technologists, Mauritius, 1962*, pp. 812-815.
- Roxas, M.L. (1927). The effect of 'Bunga' (*Aeginetia indica*) on sugarcane at the Calamba Sugar Estate. *Sugar News* 8, 2.
- Roxas, M.L. (1931). *Aeginetia indica* on sugarcane. *Sugar News* 12(2), 89-91.
- Roxburgh, W. (1814). *Hortus Bengalensis, or a catalogue of the plants growing in the honourable East India Company's Botanic Garden at Calcutta*. Mission Press, Serampore.
- Santapau, H. (1948). New plant records for Bombay Presidency. *Journal of Bombay Natural History Society* 45, 447.
- Santapau, H. (1948). *Aeginetia indica* Linn., var. *alba* Santapau, var. nov. *Kew Bulletin* 3, 491-492.
- Santapau, H. (1967). *Records of Botanical Survey of India* 16, 186-187.
- Santapau, H., Henry, A.N. (1973). *A Dictionary of the Flowering Plants in India*. CSIR, New Delhi.
- Santapau, S.J. (1960). *Records of the Botanical Survey of India, Volume 16, No. 1. The Flora of Khandala on the Western Ghats of India*. Govt. of India Press, Kolkata, p. 166.
- Saunders, A.R. (1933). Studies in phanerogamic parasitism with particular reference to *Striga lutea* Lour. *Department of Agriculture, Union of South Africa, Science Bulletin No. 128*.

- Schneeweiss, G.M., Weiss, H. (2003). Polyploidy in *Aeginetia indica* L. (Orobanchaceae). *Cytologia* 69(1), 15-17.
- Sharma, B.D., Singh, N.P., Raghavan, R.S., Deshpande, U.R. (1984). *Flora of India, Series 2, Flora of Karnataka Analysis*, BSI, Calcutta.
- Sharma, P.C., Sinha, G.N. (1980). Folklore medicinal plants of Ranchi district (Bihar). *Nagarjun* 24(9), 1-3.
- Sharma, S.L., Rao, D. and Jha, H.C. 1953. *Centranthera nepalensis* Don. a new root parasite. *Current Science*. 22: 128.
- Sharma, S.L., Rao, D., Trivedi, K.N. (1956). Taxonomy of three species of *Striga* parasitic on sugarcane. *Proceedings of the Indian Academy of Sciences* 43(1) Section - B, 67-71.
- Shivamurthy, G.R., Rajanna, L. (1994). A new species of *Aeginetia* Linn. (Orobanchaceae) from Western Ghats. *Rheedea* 4(2), 133-135.
- Singh, K.P., Singh, D.K., Roychowdhury, P., Dilip Kumar, K., Bora, P.J., Bujarbarua, P. (2002). *Flora of Mizoram, Volume 1*. Botanical Survey of India.
- Singh, N.P., Lakshminarasimhan, P., Karthikeyan, S., Prasanna, P.V. (2001). *Flora of Maharashtra State Dicotyledons, Vol 2*. Botanical Survey of India, pp. 558-559.
- Singh, N.P., Mudgal, V., Khanna, K.K., Srivastava, S.C., Sahoo, A.K., Bandopadhyay, S., Aziz, N., Das, M., Bhattacharya, R.P., Hajra, P.K. (2001). *Flora of Bihar, Analysis*. Botanical Survey of India, pp. 364-365.
- Singh, R.K. (1971). Viability of seeds of partial root-parasites of sugarcane. *Indian Phytopathology* 24(4), 792.
- Srinivasan, A.R. (1947). Some new hosts for striga. *Current Science*. 16(10): 320-321.
- Stewart, G.R., Press, M.C. (1990). The physiology and biochemistry of parasitic angiosperms. *Annual Review of Plant Physiology and Plant Molecular Biology* 41, 127-151.
- Subramaniam, L.S. (1936). *Diseases of Sugarcane and Methods for their Control*. Imperial Council of Agricultural Research, Miscellaneous Bulletin No. 10, pp. 25-26.
- Suwa, H., Suzuki, Y., Zhang, Yun-Hui., Murofushi, N., Takeuchi, Y., Zhang, Y.H. (1995). Endogenous gibberellins in *Aeginetia indica*, a parasitic plant, and its host, *Miscanthus sinensis*. *Bioscience, Biotechnology and Biochemistry* 59(9), 1712-1715.
- Suzuki, Y., Yun-Hui, Z., Suwa, H., Murofushi, N., Takeuchi, Y. (1993). Endogenous gibberellins in parasitic plants. *Proceedings of a JSPS-NUS Seminar, Tsukuba, Japan, 23-25 August, 1993*.
- Takeuchi, Y. (1992). Studies on the physiology and application of brassinosteroids (Japanese). *Chemical Regulation of Plants* 27(1), 1-10.
- Talukder, M.I., Rahman, S. (1989). A preliminary study on the control of *Striga densiflora*. *Bangladesh Journal of Sugarcane* 11, 112-113.
- Tashima, Y., Matsumoto, M., Kuroki, S. (1974). Flower initiation of holoparasite, *Aeginetia indica* L. under the nonparasitic condition of sterile culture. *Proceedings of the Japan Academy* 50(7), 493-496.
- Tashima, Y., Okamoto, K., Tanaka, Y., Matsumoto, M., Kuroki, S. (1972). Flower formation of *Aeginetia indica* Linn. in relation to the photoperiodic treatment of

- the host plants. *Memoirs of the Faculty of Agriculture, Kagoshima University* 8(2), 121-125.
- Teodoro, N.G. (1925). *Aeginetia indica* in cane plantation. *Philippine Agricultural Review* 18, 77-78.
- Tiagi, B. (1952). Studies in the family Orobanchaceae. A contribution to the embryology of *Aeginetia indica* Linn. *Bulletin, Torrey Botanical Club* 79(1), 63-78.
- Trimen, H. (1974). *A Handbook to the Flora of Ceylon, Part III*. M/s Bishen Singh, Dehra Dun, p. 261.
- Trujillo, B. and Ordosgoitti, A. (1983) *Alectra fluminensis*, nuevo genero y especie para Venezuela. *Ernstia* 15, 4-12.
- Tryon, H. (1916). *Report of the Entomologist and Vegetable Pathologist*. Department of Agriculture and Stock, p. 46.
- Upadhye, A.S., Kumbhojkar, M.S. (1996). Micro-morphology of *Aeginetia indica* L. seed. *Journal of Bombay Natural History Society* 93, 318-319.
- Uttaman, P. (1949). On the biological control of the *Striga* species. *Current Science*. 18: 445.
- Varma, S.K., Kumar, S. (1999). *Aeginetia pedunculata* (Roxb.) Wall. (Orobanchaceae) a new record from Bihar. *Journal of Bombay Natural History Society* 96(2), 354-355.
- Venkataramani, K.S. (1961). Hosts of the root parasite *Aeginetia indica* L. *Current Science* 30, 319.
- Visser, J.H. (1987). The susceptibility of some sugar cane cultivars to witchweed (*Striga asiatica* L.) Kuntze. In: *Proceedings of the 4th International Symposium on Parasitic Flowering Plants*, Marburg, Germany, pp. 789-795.
- Wheeler, B.E.J. (1972). *An Introduction to Plant Diseases*. ELBS and John Wiley, pp. 50-53.
- Williams, C.N. and Caswell, G.H. 1959. *Nature*. 184: 1668.
- Zuberi, M.I., Ahmad, A., Biswas, M.A.R., Ghosh, G.P., Choudhury, A.N.M.A., Roy, P.C. 1987. *International Rice Research Newsletter (Philippines)*. 12(6): 32-33.