

REFERENCES ON RED ROT DISEASE OF SUGARCANE

- Abbott, E.V. 1935. Physiological specialization in *Colletotrichum falcatum* Went. *Proceedings of International Sugarcane Technology*. 5: 730-736.
- Abbott, E.V. 1938. Red rot of sugarcane. *US Department of Agriculture Technical Bulletin*. 641: 96.
- Achutaramarao, M and Ramakrishna, V. 1997. Outbreak of red rot on sugarcane variety Co 7508 – a new pathotype in coastal Andhra Pradesh. *Journal of Research ANGRAU*. 25: 41-43.
- Achutaramarao, M. and Sarma, M.N. 1982. Studies on parental influence on red rot resistance in sugarcane seedlings. *Sugarcane Pathologists Newsletter*. 29: 22-26.
- Achutaramarao, M. and Satyanarayana, Y. 1983. Influence of red rot pathogen *Physalospora tukumanensis* Speg. on quality of juices in different sugarcane varieties. *Maharashtra Sugar*. 8: 53-54.
- Agnihotri, V.P. 1990. *Diseases of Sugarcane and Sugarbeet*. Oxford & IBH Pub., New Delhi.
- Agnihotri, V.P. and Budhraja, T.R. 1974. Pathogenic potentialities of mid-rib isolates of *Colletotrichum falcatum* in inciting stalk rot of sugarcane. *Sugarcane Pathologists Newsletter*. 11/12: 19-21.
- Agnihotri, V.P. and Budhraja, T.R. and Singh, K. 1979. Role of diseased sett and soil in the annual recurrence of red rot in sugarcane. *International Sugar Journal*. 82: 263-265.
- Agnihotri, V.P., Lal, R.J., Singh, N. and Singh, V. 1997. Effect of bavistin and bleaching power on conodial germination of *Colletotrichum falcatum* Went and development of red rot in sugarcane. *Indian Journal of Sugarcane Technology*. 12: 54-55.
- Agnihotri, V.P., Madan, V.K. and Lal, R. 1989. Changes in carbohydrates and nucleic acids in sugarcane genotypes affected by *Colletotrichum falcatum*. *International Sugar Journal*. 4: 7-8.
- Agnihotri, V.P. and Singh, K. 1977. Seed-piece transmissible diseases of sugarcane and their control measures. *Sugar News*. 2: 90-95.

- Ahmed, H.U. 1973. Nitrogen utilization of highly and weakly virulent isolates of *Colletotrichum falcatum* Went. *Mycopath et Mycol Appl.* 50: 223-227.
- Ahmad, M., Roshan, A. and Fasihi, S.D. 1986. Effect of infection levels of red rot of sugarcane on cane weight and juice quality. *Journal of Agricultural Research.* 24: 129-131.
- Ahmed, H.V. and Shahjahan, A.K.M. 1972. Morphology and sporulation of different isolates of *Colletotrichum falcatum* Went. *Nucleus (Pakistan).* 9: 115-118.
- Alexander, K.C. 1979. Progress in resistance breeding for red rot and smut. *Maharashtra Sugar.* 4: 89-91.
- Alexander, K.C., Kandasamy, P.A., Ramanarao, T.C., Mohanraj, D. and Madhusudanrao, M. 1979. A new approach to genetic defence against red rot disease of sugarcane. *Indian Sugar.* 28: 695-696.
- Alexander, K.C., Madhusudanrao, M., Mohanraj, D., Prakasham, N. and Padmanaban, P. 1990. Sources of resistance to red rot (*Glomerella tukumanensis* Arx and Muller) and smut (*Usilago scitaminea* Syd) in different species of *Saccharum*. *Sugarcane.* 6: 10-12.
- Alexander, K.C., Madhusudanrao, M., Mohanraj, D., Seshadri, K., Padmanaban, P., Prakasham, N. and Kshirsagar, S.S. 1986. A new approach to improvement of red rot resistance in sugarcane. *Indian Journal of Mycology and Plant Pathology.* 16: 108-112.
- Alexander, K.C. and Rao, M.M. 1976. Identification of genetic stocks possessing resistance to red rot and smut. *Sugarcane Breeders Newsletter.* 37: 10-14.
- Anzalone, L. 1970. Air pressure incorporation of fungicides into short stalk section of sugarcane for the control of red rot. *Phytopathology.* 60: 741-742.
- Appalanasiah, P. 1974. Further studies on the role of sugarcane borers in the spread of the red rot infection. *Sugarcane Pathologists Newsletter.* 11/12: 11.
- Appalanasiah, P., Satyanarayana, Y. and Krishnamurthy, M.M. 1971. Role of sugarcane borers in the spread of red rot infection. *Cooperative Sugar.* 2(9): 442-444.
- Azab, Y.E. and Chilton, S.J.P. 1952. Studies on inheritance to red rot disease of sugarcane. *Phytopathology.* 42: 282.
- Bajaj, B.S. and Chatrath, M.S. 1960. Growth phase method for mutant screening in *Colletotrichum falcatum* Went. *Indian Phytopathology.* 13: 156-159.
- Bajaj, B.S., Chatrath, M.S. and Vasudeva, R.S. 1964. Mutation in *Colletotrichum falcatum*, the causal organism of red rot of sugarcane. IV. Morphological and biochemical mutants induced by ionizing radiation. *Indian Phytopathology.* 17: 296-303.

- Bajaj, B.S., Chatrath, M.S. and Vasudeva, R.S. 1965. Mutation in *Colletotrichum falcatum*, the causal organism of red rot of sugarcane. V. Pathogenicity of biochemical mutants. *Indian Phytopathology*. 18: 133-138.
- Bajaj, B.S., Chatrath, M.S. and Vasudeva, R.S. 1965. Mutation in *Colletotrichum falcatum*, the causal organism of red rot of sugarcane. VI. Induced biochemical mutants as test organisms for bioassay of p-aminobenzoic acid and biotin. *Indian Phytopathology*. 18: 253-256.
- Bajaj, B.S., Ganju, P.L. and Chatrath, M.S. 1959. Mutation in *Colletotrichum falcatum*, the causal organism of red rot of sugarcane. II. Induced fast neutrons. *Indian Phytopathology*. 12: 53-58.
- Barber, C.A. 1901. Sugarcane diseases in Godavari and Ganjam districts. *Madras Department of Land Records and Agriculture Bulletin*. 43(2): 181-194.
- Beniwal, M.S. and Satyavir. 1988. Identification of sugarcane clones for durable resistance to red rot. *Indian Phytopathology*. 41: 284.
- Beniwal, M.S. and Satyavir. 1991. Effect of atmospheric temperature on the development of red rot of sugarcane. *Indian Phytopathology*. 44: 333-338.
- Beniwal, M.S., Satyavir and Taneja, A.D. 1989. Effect of red rot on juice quality of sugarcane. *Indian Sugar*. 39(6): 403-406.
- Beniwal, M.S., Satyavir and Virk, K.S. 1989. Pathogenic variability in *Colletotrichum falcatum* incitant of red rot of sugarcane. *Indian Phytopathology*. 42: 95-98.
- Beniwal, M.S., Taneja, A.D., Satyavir and Khirbat, S.K. 1988. Phenols in relation to sugarcane resistance against red rot disease. *Bharatiya Sugar*. 13: 49-52.
- Bhansali, R.R., Singh, N. and Singh, K. 1985. Movement of ³²P labelled red rot pathogen in sugarcane stalks. *Indian Journal of Plant Pathology*. 3: 80-82.
- Bharathi, V.L., Kishan Reddy, L. and Nanda Kishore, M. and Mukunda Rao, C.H. 2005. Pathological behaviour of sugarcane varieties against red rot (*Colletotrichum falcatum* Went) disease. *Indian Sugar*. 4: 39-43.
- Butler, E.J. 1906. Fungus diseases of sugarcane in Bengal. *Memoirs of Department of Agriculture, India, Botanical Series*. 1: 1-53 (red rot pp. 2-24).
- Butler, E.J. and Khan, H.A. 1913. Red rot of sugarcane. *Memoirs of Department of Agriculture, India, Botanical Series*. 6: 151-178.

- Carvajal, F. and Edgerton, C.W. 1943. The perfect stage of *Colletotrichum falcatum*. *Phytopathology*. 33: 2. (Abstract).
- Carvajal, F. and Edgerton, C.W. 1944. The perfect stage of *Colletotrichum falcatum*. *Phytopathology*. 34: 206-213.
- Chandrika, S., Padmanaban, P., Seshadri, K. and Alexander, K.C. 1984. Toxic metabolite production by causing red rot of sugarcane. *Indian Phytopathology*. 37: 69-70.
- Chatrath, M.S. and Bajaj, B.S. 1964. Studies on the physiology and pathogenicity of an avirulent strain of *Colletotrichum falcatum* Went. *Indian Journal of Sugarcane Research and Development*. 8: 288-292.
- Chattopadhyay, S.B. and Sarkar, A. 1957. Strains of *Colletotrichum falcatum* Went in West Bengal. *Indian Journal of Mycological Research*. 3: 25-28.
- Chaudhary, B.S., Virk, K.S. and Ram, K. 1988. Inheritance of red rot in sugarcane. *Agriculture Science Digest*. 8: 210-212.
- Chiranjivirao, K., Krishnamurthy, T.N., Lalitha, E. and Rajalakshmi, V.K. 1968. Phenols in relation to resistance of sugarcane varieties to red rot disease. *Current Science*. 37: 532-534.
- Chona, B.L. 1943. Red rot of sugarcane and its control. *Indian Farming*. 4: 27-32.
- Chona, B.L. 1950. Studies on the diseases of sugarcane. III. Sources and modes of red rot infection. *Indian Journal of Agricultural Sciences*. 20: 363-385.
- Chona, B.L. 1954. Studies on the diseases of sugarcane. IV. Relative resistance of sugarcane varieties to red rot. *Indian Journal of Agricultural Sciences*. 24(4): 301-315.
- Chona, B.L. 1980. Red rot of sugarcane and sugar industry - a review. *Indian Phytopathology*. 33: 191-206.
- Chona, B.L., Bajaj, B.S. and Sharma, R. 1964. Perithecial production by different strains of *Glomerella tucumanensis* (Speg.) Arx and Muller. *Indian Phytopathology*. 17: 241-244.
- Chona, B.L. and Hingorani, M.K. 1950. Mutation in *Colletotrichum falcatum* Went the causal organism of sugarcane red rot. *Phytopathology*. 40: 221-227.
- Chona, B.L. and Hingorani, M.K. 1950. Comparative studies of certain isolates of *Colletotrichum falcatum* Went. *Indian Phytopathology*. 3: 196-202.
- Chona, B.L. and Nariani, T.K. 1952. Investigations on the survival of *Colletotrichum falcatum* Went in soil. *Indian Phytopathology*. 5: 152-157.

- Chona, B.L. and Padwick, G.W. 1942. More light on the red rot epidemic. *Indian Farming*. 3(2): 70-73.
- Chona, B.L. and Srivastava, D.N. 1952. The perithecial stage of *Colletotrichum falcatum* Went in India. *Indian Phytopathology*. 5: 158-60.
- Chona, B.L. and Srivastava, D.N. 1960. Variation of *Colletotrichum falcatum* Went, the causal organism of red rot of sugarcane. *Indian Phytopathology*. 13: 59-65.
- Daniels, J. and Daniels, C.A. 1976. A note on red rot disease, *Physalospora tucumanensis* Speg., and origin of sugarcane. *Sugarcane Breeders Newsletter*. 37: 17-19.
- Dutta, A.K. 1973. Studies on some host factors affecting perithecial development in *Colletotrichum falcatum* Went. *Science and Culture*. 39: 227-228.
- Dutta, A.K., Chona, B.L. and Bajaj, B.S. 1964. Effect of growth inhibitory substances on perithecial development of *Colletotrichum falcatum* Went. *Indian Journal of Experimental Biology*. 2: 60-61.
- Dutta, A.K., Chona, B.L. and Bajaj, B.S. 1965. Effect of hexose phosphates and ultraviolet irradiation on perithecial development in *Glomerella tucumanensis*. *Indian Phytopathology*. 18: 274-281.
- Duttamajumder, S.K. 1997. Butler-Plug method of inoculation and red rot. *Sugar Crops Newsletter*. 7(1&2): 7-8.
- Duttamajumder, S.K. 2008. *Red Rot of Sugarcane*. Indian Institute of Sugarcane Research (IISR), Lucknow, India.
- Duttamajumder, S.K. and Dwivedi, R. 1995. A new electro-mechanical power device and its superior performance in the inoculation of red rot pathogen in sugarcane. *Indian Journal of Sugarcane Technology*. 10: 136-138.
- Duttamajumder, S.K. and Misra, S.C. 2004. Towards an ideal method of inoculation for screening sugarcane genotypes against red rot caused by *Colletotrichum falcatum*. *Indian Phytopathology*. 57: 24-29.
- Duttamajumder, S.K. and Singh, R.P. 1999. Revised criteria for grading resistance against red rot disease of sugarcane. *Indian Phytopathology*. 52: 157-159.
- Duttamajumdar, S.K., Singh, N. and Agnihotri, V.P. 1990. Behaviour of *Colletotrichum falcatum* Went. under water logged conditions. *Indian Phytopathology*. 43: 227-229.
- Duttamajumder, S.K. and Singh, R.P. 1999. Grading resistance against red rot disease of sugarcane-revised criteria for plug method of inoculation. *Indian Sugar*. 48(10): 847-851.

- Duttamajumder, S.K., Singh, N. and Lal, R. 1991. A simple technique for maintenance and multiplication of *Colletotrichum falcatum* in virulent form. *Plant Disease Research*. 6: 58-60.
- Edgerton, C.W. and Carvajal, F. 1944. Host-parasite relations in red rot of sugarcane. *Phytopathology*. 34: 827-837.
- Edgerton, C.W. 1910. *Colletotrichum falcatum* in the United States. *Science*. 31: 717-718.
- Gupta, M.R., Gupta, S.C. and Kumar, R. 1976. Screening of sugarcane cultivars for resistance to red rot caused by *Physalospora tucumanensis* Speg. in Western UP. *Indian Sugar*. 26: 449-450.
- Gupta, S.C. 1980. Importance of varietal screening against red rot disease of sugarcane. *Indian Phytopathology*. 33: 388-390.
- Gupta, S.C., Singh, M.P. and Upadhaya, U.C. 1980. A new biotype of *Colletotrichum falcatum* Went. *Current Science*. 49: 600-601.
- Hiremath, L. and Naik, G.R. 2004. Rapid diagnosis of sugarcane red rot by Dot-immunobinding assay (DIBA) technique. *Indian Journal of Biotechnology*. 3(4): 542-545.
- Jayakumar, V., Bhaskaran, R. and Tsushima, S. 2007. Potential of plant extracts in combination with bacterial antagonist treatment as biocontrol agent of red rot of sugarcane. *Canadian Journal of Microbiology*. 53(2): 196-206.
- Jha, A., Singh, R.K., Prasad, R.N. and Jha, C.S. 1976. Attempt to control red rot of sugarcane through heat therapy in Bihar. *Indian Sugar*. 26: 441-446.
- Kalaimani, T. 1995. 'PAL and 'TAL' activity and sugarcane genotype resistance to red rot. *Indian Sugar*. 46(8): 617-622.
- Kalaimani, T. 1995. Growth and sporulation of six isolates of sugarcane red rot (*Colletotrichum falcatum* Went) at different temperature and hydrogen ion concentration. *Cooperative Sugar*. 27(4): 269-274.
- Kalaimani, T. 1995. Morphological variabilities of six isolates of *Colletotrichum falcatum* Went., the incitant of sugarcane red rot. *Indian Sugar*. 45(7): 505-508.
- Kalaimani, T. 1997. Effect of carbon, nitrogen, vitamin and aminoacid sources on growth and sporulation of six isolates of *Colletotrichum falcatum* Went. *Cooperative Sugar*. 28(8): 607-616.

Kalaimani, T. 2000. Biological control of red rot of sugarcane caused by *Collatotrichum falcatum* Went. *Indian Sugar*. 50(8): 489-492.

Kalaimani, T. 2002. Comparative performance of the sugarcane genotypes for resistance to red rot by plug, nodal and controlled condition testing (CCT) methods. *Indian Sugar*. 51(10): 721-723.

Kalaimani, T. and Durairaj, P. 1995. Changes in carbohydrates and nucleic acids in sugarcane genotypes inoculated with six isolates of *Collatotrichum falcatum* Went. *Indian Sugar*. 45(6): 369-376.

Kalaimani, T. and Muthusamy, S. 1988. Effect of temperature and hydrogen ion concentration on the growth and sporulation of the four isolates of *Colletotrichum falcatum* Went collected from different places of South Arcot District in Tamil Nadu. *Indian Sugar*. 20(2): 101-103.

Kalaimani, T. and Muthusamy, M. 1989. Deterioration of sugarcane varieties due to development of new strains of *Colletotrichum falcatum* in Tamil Nadu. *Indian Sugar*. 39(6): 563-566.

Kalaimani, T. and Muthusamy, M. 1990. Variation in red rot of sugarcane caused by *Colletotrichum falcatum* Went. in Tamil Nadu. *Indian Sugar*. 40(1): 29-31.

Kalaimani, T., Natarajan, S. and Rajasekaran, S. 1991. Evaluation of sugarcane genotypes for resistance to red rot caused by *Colletotrichum falcatum* Went. *Cooperative Sugar*. 22(11): 731-732.

Karunakaran, M., Nair, N.V., Rho, H.S. and Lee, Y.H. 2006. Effects of Ca²⁺/Calmodulin mediated signalling on spore germination and appressorium development in *Colletotrichum falcatum* Went. *Acta Phytopathologica et Entomologica Hungarica*. 41(3-4): 249-260.

Khirbat, S.K., Satyavir and Beniwal, M.S. 1980. Physiological and pathological variability in sugarcane red rot pathogen *Colletotrichum falcatum* in Haryana. *Indian Phytopathology*. 33: 296-299.

Khulbe, A. and Saxena, S.C. 2007. Cultural variations among isolates of *Collatotrichum falcatum*. *Journal of Mycology and Plant Pathology*. 37(1): 162.

Kirtikar. 1959. Physiological specialization in red rot pathogen. *Indian Sugar*. 8: 797-799.

Kirtikar, Rana, O.S. and Gupta, S.C. 1964. A new virulent strain of *Glomerella tucumanensis* Arx and Muller. *Indian Sugar*. 9: 27-31.

- Kirtikar, Rana, O.S. and Gupta, S.C. 1965. An intermediate type virulent isolate of *Colletotrichum falcatum* in Eastern Uttar Pradesh. *Indian Sugar*. 10: 161-163.
- Kirtikar and Singh, D.K. 1964. Recent achievements in controlling red rot in Uttar Pradesh. *Indian Sugar*. 12: 223-238.
- Kirtikar, Srivastava, D.D. and Singh, D.R. 1965. Control of red rot of sugarcane. *Current Science*. 24: 227.
- Kirtikar and Verma, H.S. 1963. Role of chemicals in sugarcane disease control. *Indian Sugar*. 13: 139-141.
- Kumar, A., Bharti, Y.P. and Sharma, M.L. 2009. Screening of somaclones against red rot (*Colletotrichum falcatum* Went) in sugarcane. *Cooperative Sugar*. 41(4): 51-54.
- Kumar, A., Satyavir and Niwas, R. 1998. Relationship between climatic factors and initiation of red rot in sugarcane. *Indian Phytopathology*. 51: 370-372.
- Kumar, A., Satyavir and Niwas, R. 1999. Quantitative relationship between red rot development and weather variables in sugarcane under field conditions. *Indian Journal of Sugarcane Technology*. 14: 10-16.
- Kumar, A., Satyavir and Virk, K.S. 1998. Nodal inoculation-a method for evaluating field resistance of red rot in sugarcane. *Cooperative Sugar*. 29(10): 707-708.
- Kumar, B. 2008. Evaluation of sugarcane (*Saccharum officinarum*) genotypes for resistance to red rot disease. *Journal of Mycology and Plant Pathology*. 38(2): 337-338.
- Kumar, B. and Kumar S. 2004. Changes in cane biometrix and juice quality due to red rot infection. *Indian sugar*. 4: 67-69.
- Kumar, B. and Singh, S. 1994. Reaction of sugarcane genotypes against red rot. *Plant Disease Research*. 9: 213-214.
- Kumar, N. and Singh, J.R.P. 2004. Correlation studies in sugarcane for morphological and biochemical parameters in relation to red rot tolerance. *Cooperative Sugar*. 35(10): 777-784.
- Kumar, S., Singh, N.N.P., Kumar, V. and Dwivedi, N.B. 1994. Deterioration in yield and juice quality parameters of sugarcane due to isolates of red rot pathogen. *Indian Journal of Sugarcane Technology*. 2: 115-122.
- Lal, R. and Gill, S.S. 1990. Evaluation of sugarcane genotypes against red rot disease caused by *Colletotrichum falcatum* Went. *Cooperative Sugar*. 22(3): 169-170.

- Lal, R. Gill, S.S. and Misra, R.R. 1991. Response of some new sugarcane genotypes against *Colletotrichum falcatum* Went. *Indian Sugar*. 40: 745-746.
- Lal, R. Gill, S.S., Misra, R.R. and Singh, K. 1989. Response of sugarcane varieties to different isolates of *Colletotrichum falcatum* Went. *Indian Sugar*. 39(9): 689-691.
- Lewin, H.D., Muthuswamy, S. and Sanjeevi, P.S. 1978. Role of mid-rib lesion isolates of *Glomerella tucumanensis* in causing red rot in sugarcane. *Sugarcane Pathologists Newsletter*. 20: 13-16.
- Lewin, H., Natarajan, S. and Rajan, S.D. 1976. Control of sugarcane red rot (*Phyalospora tucumanensis* Speg.) by chemotherapy. *Sugarcane Pathologists Newsletter*. 17: 17-20.
- Malathi, P., Padmanaban, P., Viswanathan, R., Mohanraj, D. 2008. Interaction between *Colletotrichum falcatum* pathotypes and biocontrol agents. *Archives of Phytopathology and Plant Protection*. 41: 311-317.
- Malathi, P., Padmanaban, P., Viswanathan, R., Mohanraj, D., Ganesh Kumar, V. and Salin, K.P. 2008. Differential accumulation of 3-deoxy anthocyanidin phytoalexins in sugarcane varieties in red rot resistance in response to *Colletotrichum falcatum* infection. *Sugar Tech*. 10: 154-157.
- Malathi, P., Padmanaban, P., Viswanathan, R., Mohanraj, D. and Ramesh Sundar, A. 2004. Efficacy of thiophanate methyl against red rot of sugarcane. *Acta Phytopathologica et Entomologica Hungarica*. 39: 39-47.
- Malathi, P., Viswanathan, R. and Jothi, R. 2006. Specific adaptation of *Colletotrichum falcatum* pathotypes to sugarcane cultivars. *Sugar Tech*. 8(1): 54-58.
- Malathi, P., Viswanathan, R., Padmanaban, P., Mohanraj, D. and Ramesh Sundar, A. 2002. Compatibility of biocontrol agents with fungicides against red rot disease of sugarcane. *Sugar Tech*. 4(3&4): 131-136.
- Malathi, P., Viswanathan, R., Padmanaban, P., Mohanraj, D. and Ramesh Sundar, A. 2002. Microbial detoxification of *Colletotrichum falcatum* toxin. *Current Science*. 83(6): 745-749.
- Manocha, M.S. 1963. Utilization of sucrose by *Colletotrichum falcatum* isolates, causing red rot of sugarcane. *Indian Journal of Microbiology*. 3: 109-112.
- Manocha, M.S. 1965. Effect of different carbon and nitrogen sources on growth and sporulation of *Colletotrichum falcatum* Went isolates. *Indian Journal of Microbiology*. 5: 21-25.

- Manocha, M.S. and Vasudeva, R.S. 1964. Factors affecting the pathogenicity of *Colletotrichum falcatum* Went causing red rot of sugarcane. *Indian Journal of Agricultural Sciences*. 34: 264-272.
- Martin, J.P., Abbott, E.V. and Hughes, C.G. 1960. *Sugar Cane Diseases of the World*. Elsevier, Amsterdam.
- Mehta, A.S., Virk, K.S., Chaudhary, B.S. and Taya, R.S. 1997. Inherent gene expression for red rot resistance in sugarcane. *Indian Sugar*. 47(4): 271-274.
- Mehta, P.P. and Singh, R.N. 1957. Sources of red rot infection, some observations in North Bihar. *Indian Sugar*. 7: 337-339.
- Menon, R.G. and Singh, K. 1960. The IISR sugarcane inoculator. *Indian Journal of Sugarcane Research and Development*. 4: 249-250.
- Mishra, M.K. 2008. Screening of sugarcane varieties against red rot caused by *Colletotrichum falcatum* by different inoculation methods. *Journal of Mycology and Plant Pathology*. 38(2): 398-399.
- Mishra, M.K. and Behera, B. 2009. Growth and sporulation of different isolates of *Colletotrichum falcatum* Went., incitant of sugarcane red rot in various culture media and hydrogen ion concentration. *Indian Sugar*. 58(10): 27-32.
- Mishra, M.K., Mishra, P.K., Panda, S.K. and Mishra, P.J. 2004. Sugarcane varietal reactions to red rot caused by *Colletotrichum falcatum* by different inoculation methods. *Indian Sugar*. 54(4): 285-288.
- Misra, S.R., Ram, R.S. and Singh, K. 1987. Some observations on dispersal of *Colletotrichum falcatum* Went. on sugarcane fields. *Indian Journal of Sugarcane Technology*. 4: 108-112.
- Mohanraj, D., Kumaresan, S. and Sreenivasan, T.V. 2002. Molecular characterization of isolates of the sugarcane red rot pathogen. *Indian Phytopathology*. 55(2): 147-151.
- Mohanraj, D., Padmanaban, P. and Karunakaran, M. 2003. Effect of Phytotoxin of *Colletotrichum falcatum* Went (*Physalospora tucumanensis*) on sugarcane in tissue culture. *Acta Phytopathologica et Entomologica Hungarica*. 38(1-2): 21-28.
- Mohanraj, D., Padmanaban, P., Viswanathan, R. and Alexander, K.C. 1997. Sugarcane screening for red rot resistance. *Sugarcane*. 3: 8-23.
- Nair, S.S., Potty, N.N., Mathew, A.V., Alexander, K.C. and Singh, K. 1984. Red rot and other seed piece transmissible diseases of sugarcane in Kerala. *Indian Sugar*. 33: 815-816.

- Nageswararao, G.V. and Achutaramarao, M. 2004. Occurrence of a new virulent pathotype of *Colletotrichum falcatum* on sugarcane in Andhra Pradesh. *Journal of Mycology and Plant Pathology*. 34: 119-121.
- Nageswararao, G.V. and Patro, T.S.S.K. 2005. Pathotypes of *Colletotrichum falcatum* Went and identification of resistant sugarcane clones. *Journal of Mycology and Plant Pathology*. 35(2): 305-309.
- Naik, G.R. and Vedamurthy, A.B. 1997. In vitro evaluation of red rot toxin influence on sugarcane (*Saccharum officinarum* L.) var. CoC 671. *Current Science*. 73: 367.
- Natarajan, S. and Muthuswamy, S. 1981. Effect of aerated steam treatment on the incidence of red rot (*Colletotrichum falcatum* Went) of sugarcane. *International Sugar Journal*. 83: 300-301.
- Olufolaji, D.B. 1994. Cultural condition for growth and sporulation of *Colletotrichum falcatum* (sugarcane red rot fungus). *Cryptogamie-Mycologie*. 15(3): 207-218.
- Olufolaji, D.B. 2000. Rapid toxin test for red rot disease in sugarcane. *Sugar Tech*. 2(4): 6-11.
- Olufolaji, D.B. and Bamgoye, A.O. 1986. Production, partial characterization and bioassay of toxins from *Physalospora tucumanensis* Speg., sugarcane red rot fungus. *Cryptogamie-Mycologie*. 7: 331-334.
- Padmanaban, P., Mohanraj, D., Viswanathan, R., Madhusudhanrao, M., Prakasam, N., Jothi, R. and Alexander, K.C. 1996. Differential interaction of sugarcane clones to pathotypes of *Colletotrichum falcatum* Went. *Sugarcane*. 4: 16-20.
- Padmanaban, P., Mohanraj, D., Viswanathan, R. and Malathi, P. 2007. Use of fungicide in the integrated management of sugarcane red rot. *Sugarcane Breeding Institute Newsletter*. 26(4): 1-2.
- Padwick, G.W. 1940. The red rot epidemic. *Indian Farming*. 1(6): 263-267.
- Pandey, L.N. and Sakal, R. 1974. New pathogenic strain of *Physalospora tucumanensis* Speg. in Uttar Pradesh. *Indian Sugar*. 24: 707-709.
- Pandey, S. and Agnihotri, V.P. 1996. Elimination of red rot infection in seed-pieces by chemotherapy: a new approach in disease control. *Indian Phytopathology*. 49: 48-51.
- Pliansinchai, U. 1993. *Red Rot Wilt Disease of Sugarcane*. Funny Publishing, Bangkok, Thailand.

Prakasam, P. 1971. Ecological relationship among three fungi viz. *Cephalosporium sacchari* Butler, *Physalospora tucumanensis* sp. and *Fusarium* sp. associated with diseases of sugarcane. *Sugarcane Pathologists Newsletter*. 7: 22-23.

Prakasam, P. The significance of red rot epidemics in Andhra Pradesh. *Cooperative Sugar*. 5(10): 1-4.

Prakasam, P., Appalanarasiah, P. Satyanarayana, Y. 1971. Note on an improved method of screening sugarcane varieties against red rot disease. *Indian Journal of Agricultural Sciences*. 41: 1131-1133.

Prakasam, P. and Venkatareddy, T.C. 1961. Occurrence of a light race of *Colletotrichum falcatum* Went in Andhra Pradesh. *Science & Culture*. 27: 250-251.

Pandey, S.P., Kumar, S., Dwivedi, N.B., Kumar, V. and Kumar, B. 2000. Losses in sugarcane varieties BO 70 and BO 74 due to red rot. *Indian Phytopathology*. 53: 333-334.

Raciborski, M. 1897. De bestrijding van het rood snot. *Arch. Java suikerindustrie*. 5: 1133-1135.

Rafay, S.A. 1950. Another strain of *Physalospora tucumanensis*. *Current Science*. 19: 385-386.

Rafay, S.A. 1953. Pathogenicity, spread and reversion of *Physalospora tucumanensis*. *Proceedings, Indian Academy of Science*. 38(B): 99-100.

Rafay, S.A. and Padmanabhan, S.Y. 1941. Strains of *Colletotrichum falcatum*. *Current Science*. 10: 25-26.

Rafay, S.A. and Singh, V.B. 1957. A new strain of *Glomerella tucumanensis*. *Current Science*. 26: 19-20.

Ram, B., Singh, N. and Sahi, B.K. 2005. Combining ability and heterosis for disease index of red rot in sugarcane (*Saccharum officinarum* L.). *Indian Journal of Genetics*. 65(2): 112-114.

Ram, B., Singh, N. and Sahi, B.K. 2006. Selection for juice quality and red rot disease index in sugarcane (*Saccharum officinarum* L.). *Indian Journal of Genetics*. 66(2): 151-152.

Ram, B., Sreenivasan, T.V., Sahi, B.K. and Singh, N. 2001. Introgression of low temperature tolerance and red rot resistance from *Erianthus* in sugarcane. *Euphytica*. 122(1): 143-153.

- Ramamoorthy, V., Viswanathan, R., Raguchander, T., Prakasham, V. and Samiyappan, R. 2001. Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Protection*. 20(1): 1-11.
- Ramesh Sundar, A., Velazhahan, R., Viswanathan, R., Padmanaban, P. and Vidhyasekharan, P. 2001. Induction of systemic resistance to *Colletotrichum falcatum* in sugarcane by a synthetic signal molecule acibenzonal S-methyl (CGA 245 704). *Phytoparasitica*. 29: 231-242.
- Ramesh Sundar, A., Velazhahan, R. and Vidyasekaran, P. 2002. A glycoprotein elicitor isolated from *Colletotrichum falcatum* induces defense mechanisms in sugarcane leaves and suspension cultured cells. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz*. 109(6): 601-611.
- Ramesh Sundar, A., Vidhyasekharan, A.P., Velazhahan, R. and Viswanathan, R. 2002. Induction of active oxygen species (AOS), lipoxygenase and lipid peroxidation in suspension-cultured cells of sugarcane by a glycoprotein elicitor isolated from *Colletotrichum falcatum*. *Journal of Plant Diseases and Protection*. 109: 441-451.
- Ramesh Sundar, A., Velazhahan, R. and Vidhyasekharan, P. 2002. A glycoprotein elicitor isolated from *Colletotrichum falcatum* induced defense mechanisms in sugarcane leaves and suspension-cultured cells. *Journal of Plant Diseases and Protection*. 109(6): 601-611.
- Ramesh Sundar, A., Viswanathan, R. and Malathi, P. 2003. Plant activators mediated induction of systemic resistance in sugarcane against *Colletotrichum falcatum*. *Sugarcane Breeding Institute Newsletter*. 22(3): 3.
- Ramesh Sundar, A., Viswanathan, R., Malathi, P., Padmanaban, P. 2006. Mechanism of resistance induced by plant activators against *Colletotrichum falcatum* in sugarcane. *Archives of Phytopathology and Plant Protection*. 39(4): 259-272.
- Ramesh Sundar, A., Viswanathan, R., Padmanaban, P. Mohanraj, D. 1999. Studies on the possible use of pathogen toxin as a molecular marker for red rot resistance in sugarcane. *Acta Phytopathologica et Entomologica Hungarica*. 34(3): 211-217.
- Rana, O.S. and Gupta, S.C. 1968. An easy method of screening out red rot susceptible varieties at initial stages of multiplication. *Indian Sugar*. 18(6): 447-452.
- Rao, J.T., Srinivasan, K.V. and Alexander, K.C. 1966. A red rot resistant mutant of sugarcane induced by gamma irradiation. *Proceedings, Indian Academy of Science, Section B*. 64: 224-230.
- Rao, K.C., Krishnamurthy, T.N., Lalitha, E. and Rajakshi, V.K. 1968. Phenols in relation to resistance of sugarcane varieties to red rot disease. *Current Science*. 37: 532.

- Rao, G.P., Pandey, A.K. and Singh, M. 1994. Effect of culture media, temperature and pH on growth of three sugarcane pathogens. *Journal of Living World*. 1(2): 94-97.
- Refay, S.A. and Singh, V.B. 1957. A new strain of *Glomerella tucumanensis*. *Current Science*. 26: 19-20.
- Revathi, G., Mala, S.R., Vadivelu, M., Muthukumarasamy, R. and Solayappan, A.R. 1997. An in vitro study for testing the antagonistic effect of *Trichoderma viride* against *Colletotrichum falcatum*. *Cooperative Sugar*. 28(6): 447-449.
- Ricaud, C., Egan, B.T., Gillaspie Jr, A.G. and Hughes, C.G. 1989. *Diseases of Sugarcane: Major Diseases*. Elsevier, Amsterdam.
- Rott, P., Bailey, R.A., Comstock, J.C., Croft, B.J., Saumtally, A.S. 2000. *A Guide to Sugarcane Diseases*. CIRAD-ISSCT, CIRAD Publication Service, Montpellier, France.
- Sabalpara, A.N., Solanky, K.U. and Mehta, B.P. 2004. Evaluation of sugarcane clones and varieties for resistance to red rot (*Colletotrichum falcatum*). *Journal of Mycology and Plant Pathology*. 34(2): 540-541.
- Saharan, H.S. and Kumar, A. 1994. Pathogenic potentials of mid-rib isolates of *Colletotrichum falcatum* Went. causing red rot of sugarcane. *Cooperative Sugar*. 25(7&8): 285-286.
- Saharan, H.S. and Satyavir. 1994. Efficacy of bavistin on the incidence of red rot of sugarcane caused by *Colletotrichum falcatum* Went. *Crop Research*. 8: 415-417.
- Saharan, H.S., Satyavir and Kumar, A. 1993. Progress of red rot of sugarcane by nodal inoculation. *Indian Sugar*. 63: 501-503.
- Saharan, H.S., Satyavir and Kumar, A. 1994. Effect of different amendments on sugarcane red rot development. *Cooperative Sugar*. 25 (7&8): 303-304.
- Sandhu, S.S., Bhati, D.S. and Ratan, B.K. 1969. Extent of losses in sugarcane caused by red rot and smut. *Journal of Research, Ludhiana*. 6: 341-344.
- Sandhu, S.S., Mohan, V.K. and Singh, K. 1974. Role of mid-rib lesions in the epidemiology of red rot caused by *Colletotrichum falcatum* Went in Punjab. *Indian Sugar*. 24: 391-395.
- Sarkar, A. 1960. Comparative studies of two races of *Colletotrichum falcatum* Went. *Science & Culture*. 26: 83-84.
- Sarma, M.N. 1970. Occurrence of a new strain of *Phylospora tucumanensis*. *Science & Culture*. 36(1): 52-54.

- Sarma, M.N., Ramkrishnarao, S.V., Ramapandu, S. and subbayya, J. 1984. Survival of red rot pathogen on infected debris in soil. *Maharashtra Sugar*. 10(1): 101-103.
- Sarma, M.N., Satyanarayana, Y., Ramarao, M.A. and Ramkrishnarao, S.V. 1980. Soil infection and the spread of red rot disease of sugarcane. *Maharashtra Sugar*. 5(10): 13-15.
- Satyanarayana, Y. and Achutaramarao, M. 1982. Studies on the reaction of different cane varieties to light race isolates of red rot fungus from Co 419 and Co 997 individually and in combination. *Maharashtra Sugar*. 7(10): 27-30.
- Satyanarayana, Y. and Achutaramarao, M. 1984. Evidence on the existence of two physiologically different strains in the light race isolates of *Physalospora tucumanensis* Speg. in Andhra Pradesh, India. *International Journal of Sugarcane*. 3: 6.
- Satyanarayana, Y., Achutaramarao, M. and Ramapandu, S. 1984. Influence of conidial concentration of *Physalospora tucumanensis* Speg in the inoculum on the reaction of sugarcane varieties. *International Journal of Sugarcane*. 2: 6.
- Satyanarayana, Y. and Satyanarayana, B. 1976. Variation in the light race isolates of red rot fungus in Andhra Pradesh. *Cooperative Sugar*. 7(8): 389-392.
- Satyavir. 2003. Red rot of sugarcane-current scenario. *Indian Phytopathology*. 56(3): 245-254.
- Satyavir, 2005. Diseases of sugarcane: current status and management strategies. *Plant Disease Research*. 21: 1-10.
- Satyavir, Beniwal, M.S., Virk, K.S. and Maheshwari, S.K. 1984. Breakdown of red rot resistance in sugarcane cultivar Co 1148. *Indian Phytopathology*. 37: 407.
- Senthil, N., Raguchander, T., Viswanathan, R. and Samiyappan, R. 2003. Talc formulated fluorescent pseudomonads for sugarcane red rot suppression and enhanced yield under field condition. *Sugar Tech*. 5(1&2): 37-43.
- Sharma, N., Kumar, A., Raj, K. and Satyavir. 2001. Evaluation of systemic fungicides against red rot of sugarcane (*Colletotrichum falcatum*). *Annals of Applied Biology*. 141: 14-15.
- Sharma, S.L. and Jha, H.C. 1957. Longevity of red rot fungus (*Glomerella tucumanensis* Arx and Muller) in sugarcane debris in soil. *Indian Journal of Sugarcane Research and Development*. 2: 50-51.
- Sharma, S.L., Singh, R.K. and Jha, H.C. 1957. Possible role of fungicides in the control of red rot fungus (*Colletotrichum falcatum* = *Glomerella tucumanensis* Arx and Muller). *Indian Journal of Sugarcane Research and Development*. 2: 174-175.

- Shukla, R.K., Pandey, A.K., Singh, S.P., Verma, K.P. and Singh, R.R. 2001. Studies on comparative pathogenic behaviour of stalk and midrib isolates of red rot pathogen (*Colletotrichum falcatum* Went.). *Indian Sugar*. 51(3): 175-180.
- Shukla, R.K., Verma, K.P. and Singh, R.R. 2002. Screening of sugarcane genotypes against red rot *Colletotrichum falcatum* Went. *Indian Sugar*. 52(1): 25-26.
- Singh, A. Lai, M., Singh, M.P., Lai, K. and Singh, S.B. 2000. Variations for red rot resistance in somaclones of sugarcane. *Sugar Tech*. 2(1-2): 56-58.
- Singh, G.P. and Hussain, A. 1963. Role of enzymes in red rot disease of sugarcane. *Current Science*. 32: 81-83.
- Singh, G.P. and Hussain, A. 1964. Relation of hydrolytic enzyme activity with the virulence of strain of *Colletotrichum falcatum*. *Phytopathology*. 54: 1100-1101.
- Singh, G.P., Singh, A., Singh, M.P. and Mishra, S.C. 1994. Screening of sugarcane varieties against red rot in central Uttar Pradesh. *Cooperative Sugar*. 25(11): 445-447.
- Singh, G.P. and Singh, R.R. 1972. Occurrence of virulent physiologic form of red rot pathogen on sugarcane variety CoS 574 in western tract of Uttar Pradesh. *Cooperative Sugar*. 4: 77-80.
- Singh, G.R. 1966. Red rot field infection of sugarcane leaves in Louisiana. *Indian Sugar*. 15(11): 735-737.
- Singh, G.R. 1967. Spread of red rot in the leaves of sugarcane plants. *Indian Phytopathology*. 20: 220-225.
- Singh, H.N., Gupta, S.C., Singh, S.B. and Singh, M.P. 1978. Improvement of the technique for screening against red rot of seedling stage. *Sugarcane Pathologists Newsletter*. 21: 29-31.
- Singh, K. 1973. Hot air therapy against red rot of sugarcane. *Plant Disease Reporter*. 57: 220-222.
- Singh, K. and Alexander, K.C. 1970. Laminar infection of sugarcane leaves by red rot (*Phyalospora tucumanensis*) organism in nature. *Indian Phytopathology*. 23: 114-115.
- Singh, K., Bhansali, R.R., Singh, N., Ghosh, A.K. and Srivastava, A.K. 1983. Infection sites and movement of *Colletotrichum falcatum* in sugarcane setts and settlings. *Journal of Nuclear Agriculture and Biology*. 12: 62-64.
- Singh, K. and Budhraj, T.R. 1964. Methods of inoculating sugarcane for red rot. *Plant Disease Reporter*. 48: 991-993.

Singh, K., Budhraj, T.R. and Agnihotri, V.P. 1977. Survival of *Collatotrichum falcatum* in soil, its portals of entry and role of inoculum density in causing infection. *International Sugar Journal*. 79: 43-44.

Singh, K., Misra, S.R., Shukla, U.S. and Singh, R.P. 1980. Moist hot air therapy of sugarcane: control of sett-borne infection of GSD, smut and red rot. *Sugar Journal*. 43: 26-28

Singh, K., Singh, R.P. and Agnihotri, V.P. 1976. Phenolics in relation to sugarcane resistance against red rot disease. *Sugarcane Pathologists Newsletter*. 15/16: 37-41.

Singh, K., Singh, R.P. and Lal, S. 1988. Effect of ambient temperature on red rot development in sugarcane. *Indian Phytopathology*. 41: 86-91.

Singh, M.P., Upadhyay, U.C., Verma, K.P. and Singh, H.N. 1984. Pathogenic variability in red rot pathogen in U.P. *Indian Sugar*. 18: 537-540.

Singh, N. 1985. Red rot incidence in ratoon of infected sugarcane plant crop. *Indian Sugar Crops Journal*. 11: 61-62.

Singh, N. 1985. Effect of amendment on red rot development in sugarcane. *Indian Phytopathology*. 38: 382-384.

Singh, N. 1988. Antagonistic activity of sugarcane rhizosphere soils against red rot pathogen. *Indian Botanical Reporter*. 2: 142.

Singh, N. 1988. Spread of red rot pathogen and infection from primary focus in standing sugarcane crop. *Indian Phytopathology*. 41: 253-255.

Singh, N. 1994. *Trichoderma harzianum* and *Chaetomium* sp. as potential biocontrol fungi in management of red rot disease of sugarcane. *Journal of Biological Control*. 8: 65-67.

Singh, N. 2008. Sustainable management of red rot disease of sugarcane. *Indian Sugar*. 58(4): 21-30.

Singh, N., Bakshi Ram and Sahi, B.K. 2001. Sources of resistance against red rot pathogen *Collatotrichum falcatum* Went in sugarcane. *Plant Disease Research*. 16(2): 251-255.

Singh, N., Govindaraj, P. and Singh, B.D. 2008. Parental influence on red rot resistance in progenies of varietal crosses in sugarcane. *Indian Sugar*. 37-40.

Singh, N., Gupta, M.L., Kumar, S. and Kumar, S. 2008. Assessment of losses due to red rot disease in plat and ratoon crops of sugarcane. *Indian Sugar*. 58(5): 47-55.

- Singh, N., Kumar, S. and Gupta, M.L. 2008. Effect of some antagonistic fungi and chemicals on red rot disease development in plant and ratoon crops of sugarcane. *Indian Sugar*. 58(3): 45-52.
- Singh, N., Lal, S. and Singh, R.P. 1985. Behaviour of *Colletotrichum falcatum* under stress conditions. *Indian Phytopathology*. 38: 544-545.
- Singh, N., Ram, B. and Sahi, B.K. 2001. Sources of resistance against red rot of sugarcane. *Plant Disease Research*. 16: 251-255.
- Singh, N. and Singh, G.B. 1994. Effect of red rot incipient infections in sugarcane seed sets on germination. *Indian Journal of Sugarcane Technology*. 9: 149-151.
- Singh, N. and Singh, K. 1981. Red rot disease in relation to gappy stand in sugarcane ratoons. *Indian Sugar*. 30: 307.
- Singh, N. and Singh, K. 1981. Appresoria formation by *Colletotrichum falcatum* in affected buds of sugarcane. *Indian Phytopathology*. 34: 534-535.
- Singh, N. and Singh, K. 1982. Formation of resting structures by *Colletotrichum falcatum* Went in soil. *Current Science*. 51: 102-104.
- Singh, N. and Singh, V. 1994. *Colletotrichum falcatum* physiological race designation: a new methodology. *Current Science*. 66: 777-779.
- Singh, O. and Waraitch, K.S. 1977. Metabolic changes induced by *Colletotrichum falcatum* Went in sugarcane. *Sugarcane Pathologists Newsletter*. 19: 729.
- Singh, O. and Waraitch, K.S. 1977. Metabolic changes induced by *C. falcatum* Went. *Phytopathology*. Z54: 79.
- Singh, O. and Waraitch, K.S. 1981. Effect of wilt and red rot induced stress on quality deterioration of sugarcane. *Sugarcane Pathologists Newsletter*. 27: 25-30.
- Singh, P. 1964. Studies on the enzyme sucrose as secreted by the conidia of *Colletotrichum falcatum* Went. *Phytopathology*, Z. 54: 79-86.
- Singh, P. 1965. Studies on the stimulation of conidial germination in *Colletotrichum falcatum*. *Indian Phytopathology*. 18: 291-302.
- Singh, P. 1966. Studies on the effect of soil extract on conidial germination in *Colletotrichum falcatum* Went. *Mycopath et Mycol Appl*. 28: 301-304.
- Singh, P. 1966. Studies on the effect of certain nutrients on the conidial germination in *Colletotrichum falcatum*. *Indian Phytopathology*. 19: 30-37.

- Singh, P. 1968. Influence of host exudates on conidial germination in *Colletotrichum falcatum*. *Acta Phytopath. Acad. Sci. (Hung.)*. 3: 13-22.
- Singh, P. 1973. Conidial germination of *Colletotrichum falcatum* a study of physiological factors and standardisation of germination technique. *Acta Phytopath. Acad. Sci. (Hung.)*. 8: 19-41.
- Singh, P. 1973. Effect of light, temperature and substrate during spore germination on the germinability of conidia of *Colletotrichum falcatum*. *Physiol. Plant*. 29: 194-197.
- Singh, P. and Chona, B.L. 1964. Nuclear condition of conidia in *Colletotrichum falcatum* Went. *Indian Journal of Experimental Biology*. 2: 241-243.
- Singh, P. and Payak, M.M. 1968. Observations on karyology, hyphal fusion and production of a new isolate in *Colletotrichum falcatum*. *Acta Phytopath. Acad. Sci. (Hung.)*. 3: 143-155.
- Singh, R.K., Srivastava, R.N.P. and Thakur, M. 1965. Efficacy of pure and mixed inocula of *Colletotrichum falcatum* Went. *Indian Sugar*. 9: 123-124.
- Singh, R.P. and Lal, S. 1996. Air-borne propagules of *Colletotrichum falcatum* and their role in the epidemiology of sugarcane red rot. *Indian Phytopathology*. 49: 89-91.
- Singh, V.B. and Singh, K. 1961. Formation of red rot acervuli on the nodes and within the tissues of diseased canes. *Current Science*. 30: 63-64.
- Sivanesan, A. and Waller, J.M. 1986. *Sugarcane Diseases*. CAB International
- Sreekumar, K., Mathew, A.V., Santhakumari, S., Jessy, T.M., Kuriakose, M. and Alexander, D. 1995. Evaluation of sugarcane hybrids and segregating generations against red rot disease. *Cooperative Sugar*. 26(12): 931-935.
- Sreeramalu, T. and Vittal, B.P.R. 1970. Incidence and spread of red rot lesions on mid-rib of sugarcane leaves. *Plant Disease Reporter*. 54(3): 226-227.
- Srinivasan, K.V. 1961. Criteria for grading sugarcane varieties to red rot (*Glomerella tucumanensis*). *Current Science*. 30: 423.
- Srinivasan, K.V. 1961. Importance of lesion width in assessing resistance of sugarcane varieties to red rot (*Glomerella tucumanensis* (Speg.) Arx and Muller). *Journal of Indian Botanical Society*. 40: 641-644.
- Srinivasan, K.V. 1962. A technique for the elimination of red rot susceptible sugarcane seedlings at an early stage. *Current Science*. 31: 112-113.

- Srinivasan, K.V. 1963. Sporulation of the sugarcane red rot pathogen on the juice of varieties of varying resistance. *Science & Culture*. 29: 87-88.
- Srinivasan, K.V. 1969. Physiology of disease resistance in sugarcane with particular reference to red rot. *Proceedings, Indian Academy of Science*. 59(B): 120-132.
- Srinivasan, K.V. 1969. Methods for testing the resistance of sugarcane to diseases-sugarcane smut. *Sugarcane Pathologists Newsletter*. 2:7.
- Srinivasan, K.V. 1971. Hot water treatment for disease control. *Sugarcane Pathologists Newsletter*. 6: 46.
- Srinivasan, K.V. and Alexander, K.C. 1971. Sources of resistance in the different species of *Saccharum* to red rot and smut diseases of sugarcane. *Sugarcane Pathologists Newsletter*. 6: 6-7.
- Srinivasan, K.V. and Alexander, K.C. 1971. Screening of resistance in the different species of *Saccharum* to red rot and smut diseases of sugarcane. *Sugarcane Pathologists Newsletter*. 6: 6-7.
- Srinivasan, K.V. and Bhat, N.R. 1961. Red rot of sugarcane. Criteria for grading resistance. *Journal of Indian Botanical Society*. 40(4): 566-277.
- Srinivasan, K.V. and Vijayalakshmi, U. 1960. Thiamine and biotin requirements of two strains of *Glomerella tucumanensis* (Speg.) Arx and Muller. *Current Science*. 29: 103-104.
- Steib, R.J. and Chilton, S.J.P. 1951. Infection of sugarcane stalks by the red rot fungus *Phylospora tucumanensis* Speg. *Phytopathology*. 41: 522-528.
- Sundar, A.R., Velazhahan, R., Viswanathan, R., Padmanaban, P. and Vidhyasekharan, P. 2001. Induction of systemic resistance to *Colletotrichum falcatum* in sugarcane by a synthetic signal molecule, acibenzolar-S-methyl (CGA 245704). *Phytoparasitica*. 29: 231-242.
- Sutton, B.C. 1968. The appressoria of *Colletotrichum graminicola* and *C. falcatum*. *Canadian Journal of Botany*. 46: 873-876.
- Thaung, M.M. 1970. Epiphytotic of red rot of sugarcane in Burma. *Plant Disease Reporter*. 54(5): 427-428.
- Thirupathiraja, C., Viswanathan, R. and Padmanaban, P. 2004. Time course of peroxidase accumulation in sugarcane cultivars in response to *Colletotrichum falcatum* infection. *Sugar Tech*. 6(1&2): 47-52.

- Tilak, K.V.B.R. 1968. Studies on the sporulation of *Colletotrichum falcatum* Went on sugarcane juice of resistant and susceptible varieties. *Phytopathology*, Z. 61: 286-291.
- Upadhyay, R.K., Mukherji, K.G. and Dubey, O.P. 2002. *IPM Systems in Agriculture Vol. 8 Key Pathogens and Diseases*. Aditya Books, New Delhi.
- Uppal, S.K., Singh, K. and Bhatia, S. 2007. Identification of red-rot resistant promising crosses in sugarcane. *Sugar Tech*. 9(4): 321-324.
- Varma, S.C. and Mital, S.P. 1949. The structure of xylem vessels in the nodal region of sugarcane in relation to its resistance to red rot (*Colletotrichum falcatum* Went). *Indian Journal of Agricultural Sciences*. 19(3): 383-387.
- Vasudeva, R.S., Bajaj, B.S. and Khosla, N. 1961. Spore germination in *Colletotrichum falcatum* Went. *Indian Phytopathology*. 15: 201.
- Vasudeva, R.S. and Chona, B.L. 1951. Fighting red rot epidemic. *Indian Farming*. 1(6): 23-26 (New Series).
- Vasudeva, R.S., Iyenger, M.R.S., Bajaj, B.S. and Chatrath, M.S. 1958. Mutation in *Colletotrichum falcatum* Went, the causal organism of red rot of sugarcane, I. Induced by γ -radiation. *Indian Phytopathology*. 11: 91-95.
- Vedamurthy, A.B., Sateesh, M.K. and Naik, G.R. 2007. In vitro effect of red rot toxin on carbohydrate metabolism of sugarcane callus var. CoC 671. *Indian Sugar*. 57(9): 43-48.
- Verma, A.K., Jaiswal, S.P., Bajaj, K.L. and Bhatia, I.S. 1971. A study of polyphenols in relation to red rot disease present in the stem of sugarcane varieties. *Sugar y Azucar*. 66: 11-13.
- Verma, D.K. 2001. Resistance breeding in sugarcane (*Saccharum officinarum* L.). *Indian Journal of Genetics*. 61: 256-262.
- Verma, R.K., Rao, G.P., Verma, K.P. and Singh, H.N. 1991. Some bio-chemical changes in red rot infected sugarcane leaves. *Indian Sugar*. 40(11): 817-820.
- Virk, K.S. 1985. Hypodermic needle method of testing resistance of sugarcane to red rot. *Indian Phytopathology*. 38(3): 554-555.
- Virk, K.S. and Satyavir. 1989. Evaluation of screening methods for red rot resistance. *Indian Sugar*. 39(8): 621-622.
- Virk, K.S., Satyavir and Chaudhary, B.S. 1985. A source of red rot resistance in sugarcane. *Indian Phytopathology*. 38: 551-552.

- Virk, K.S., Singh, N. and Satyavir. 1996. Red rot infection on spindle leaves and its relation to susceptibility. *Indian Sugar*. 46(7): 525-528.
- Vishwanathan, R., Malathi, P. and Padmanaban, P. 2003. Variation in sugarcane red rot pathogen *Colletotrichum falcatum* Went. In: *Frontiers of Fungal Diversity in India*. (Eds. G.P. Rao, C. Manoharachari, D.J. Bhat, R.C. Rajak and T.N. Lakhanpal). International Book Distributing Co., Lucknow India. pp 639-667.
- Viswanathan, R., Malathi, P., Ramesh Sundar, A., Aarthi, S., Premkumari, S.M. and Padmanaban, P. 2005. Differential induction of chitinase and thaumatin-like proteins in sugarcane in response to infection by *Colletotrichum falcatum* causing red rot disease. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz*. 112: 537-542.
- Vishwanathan, R., Mohanraj, D., Padmanabhan, P. 1998. Comparison of three testing methods for evaluation of resistance to red rot caused by *Colletotrichum falcatum* in sugarcane (*Saccharum officinarum*). *Indian Journal of Agricultural Sciences*. 68: 226-230.
- Vishwanathan, R., Mohanraj, D., Padmanaban, P. and Alexander, K.C. 1996. *Indian Phytopathology*. 49(2): 176.
- Vishwanathan, R., Mohanraj, D., Padmanaban, P. and Alexander, K.C. 1996. Synthesis of phytoalexins in sugarcane in response to infection by *Colletotrichum falcatum* Went. *Acta Phytopathologica et Entomologica Hungarica*. 31(3-4): 229-237.
- Viswanathan, R., Nandakumar, R. and Samiyappan, R. 2003. Involvement of pathogenesis-related proteins in *Pseudomonas* spp. induced systemic resistance against *Colletotrichum falcatum* in sugarcane. *Journal of Plant Diseases and Protection*. 110: 524-537.
- Viswanathan, R., Nandakumar, R. and Samiyappan, R. 2003. Role of pathogenesis related proteins in rhizobacteria mediated induced systemic resistance against *Colletotrichum falcatum* in sugarcane. *Zeitschrift fur Pflanzkrankheiten und Pflanzenschutz*. 110(6): 524-534.
- Viswanathan, R. and Padmanaban, P. 2008. *Hand Book on Sugarcane Diseases and their Management*. Sugarcane Breeding Institute, Coimbatore.
- Viswanathan, R., Padmanaban, P. and Mohanraj, D. 1998. Comparison of three testing methods for the evaluation of red rot (*Colletotrichum falcatum* Went) in sugarcane. *Indian Journal of Agricultural Sciences*. 68: 226-230.
- Viswanathan, R., Ramesh Sundar, A., Malathi, P., Rahul, P.R., Ganesh Kumar, V., Banumathy, R., Prathima, P.T., Raveendran, M., Kumar, K.K. and Balasubramanian, P. 2009. Interaction between sugarcane and *Colletotrichum falcatum* causing red rot: Understanding disease resistance at transcription level. *Sugar Tech*. 11(1): 45-50.

Viswanathan, R., Ramesh Sundar, A. and Premkumari, S.M. 2003. Mycolytic enzymes of extracellular enzymes of antagonistic microbes to *Colletotrichum falcatum*, red rot pathogen of sugarcane. *World Journal of Microbiology and Biotechnology*. 19: 953-959.

Viswanathan, R and Samiyappan, R. 1999. Induction of systemic resistance by plant growth promoting rhizobacteria against red rot disease in sugarcane. *Sugar Tech*. 1(3): 67-76.

Viswanathan, R and Samiyappan, R. 2000. Red rot disease in sugarcane: challenges and prospects. *Madras Agricultural Journal*. 87: 549-559.

Viswanathan, R and Samiyappan, R. 2000. Efficacy of *Pseudomonas* spp. strains against soil borne and sett borne inoculum of *Colletotrichum falcatum* causing red rot disease in sugarcane. *Sugar Tech*. 2(3): 26-29.

Viswanathan, R and Samiyappan, R. 2001. Role of chitinases in *Pseudomonas* spp. induced systemic resistance against *Colletotrichum falcatum* in sugarcane. *Indian Phytopathology*. 54: 418-423.

Viswanathan, R and Samiyappan, R. 2001. Antifungal activity of chitinases produced by some fluorescent pseudomonads against *Colletotrichum falcatum* Went causing red rot disease in sugarcane. *Microbiological Research*. 155: 309-314.

Viswanathan, R and Samiyappan, R. 2002. Induced systemic resistance by fluorescent pseudomonads against red rot disease of sugarcane caused by *Colletotrichum falcatum*. *Crop Protection*. 21: 1-10.

Viswanathan, R and Samiyappan, R. 2002. Inducing systemic resistance for managing red rot disease in sugarcane. *ICAR News*. 8(3): 15-16.

Viswanathan, R and Samiyappan, R. 2002. Role of oxidative enzymes in the plant growth promoting rhizobacteria (PGPR) mediated induced systemic resistance in sugarcane against *Colletotrichum falcatum*. *Zeitschrift für Pflanzkrankheiten und Pflanzenschutz*. 109(1): 88-100.

Viswanathan, R and Samiyappan, R. 2004. Secondary metabolites production by *Pseudomonas* spp. strains antagonistic to *Colletotrichum falcatum* causing red rot disease in sugarcane. *Acta Phytopathologica Entomologica et Hungarica*. 39(1-3): 28-37.

Viswanathan, R. and Samiyappan, R. 2006. *Pseudomonas* spp. colonization in sugarcane rhizosphere reduces titre of *Colletotrichum falcatum* Went causing red rot disease of sugarcane. *Archives of Phytopathology and Plant Protection*. 39: 39-44.

Viswanathan, R. and Samiyappan, R. 2007. Siderophores and iron nutrition on the pseudomonas mediated antagonism against *Colletotrichum falcatum* in sugarcane. *Sugar Tech.* 9(1): 57-60.

Viswanathan, R. and Samiyappan, R. 2008. Bio-formulation of fluorescent *Pseudomonas* spp. induces systemic resistance against red rot disease and enhances commercial sugar yield in sugarcane. *Archives of Phytopathology and Plant Protection.* 41: 377-388.

Viswanathan, R., Samiyappan, R. and Padmanaban, P. 1998. Specific detection of *Colletotrichum falcatum* in sugarcane by serological technique. *Sugarcane.* 3: 18-23.

Went, F.A.F.C. 1893. Het Root Snot. *Arch. Java Suikerindustrie.* 1: 265-282.

Wilson, K.I. and Srivastava, D.N. 1970. Phenolic content of sugarcane in relation to red rot disease. *Cellular and Molecular Life Sciences.* 26: 1074.

Yin, Z., Hoy, J.W. and Milligan, S.B. 1996. Evaluation and heritability of resistance to sugarcane red rot. *Phytophology.* 86: 662-667.

Yin, Z. and Hoy, J.W. 1997. Effect of stalk desiccation on sugarcane red rot. *Plant Disease.*